

Sessions UX

New Views

index.html

Playlist 4	Signup	Login
----------------------------	------------------------	-----------------------

Sign up or Log in...

signup.html

Playlist 4	Signup	Login
----------------------------	------------------------	-----------------------

Register

First Name

Last Name

Email

Password

[Submit](#)

login.html

Playlist 4	Signup	Login
----------------------------	------------------------	-----------------------

Log-in

Email

Password


[Login](#)

welcome

welcomemenu.html

```
<nav class="ui menu">
  <header class="ui header item"> <a href="/"> Playlist 4 </a></header>
  <div class="right menu">
    <a id="signup" class="item" href="/signup"> Signup </a>
    <a id="login" class="item" href="/login"> Login </a>
  </div>
</nav>

<script>
  $("#{{id}}").addClass("active item");
</script>
```



index.html

```
{{> welcomemenu }}

<section class="ui center aligned middle aligned segment">
  <p> Sign up or Log in... </p>
</section>
```

Signup Form

Playlist 4	Signup	Login
----------------------------	------------------------	-----------------------

Register

First Name

Email

Password

```
{{> welcomemenu id="signup"}}  
  
<form class="ui stacked segment form" action="/register" method="POST">  
  <h3 class="ui header">Register</h3>  
  <div class="two fields">  
    <div class="field">  
      <label>First Name</label>  
      <input placeholder="First Name" type="text" name="firstName">  
    </div>  
    <div class="field">  
      <label>Last Name</label>  
      <input placeholder="Last Name" type="text" name="lastName">  
    </div>  
  </div>  
  <div class="field">  
    <label>Email</label>  
    <input placeholder="Email" type="text" name="email">  
  </div>  
  <div class="field">  
    <label>Password</label>  
    <input type="password" name="password">  
  </div>  
  <button class="ui blue submit button">Submit</button>  
</form>
```

Login Form

Playlist 4		Signup	Login
----------------------------	--	------------------------	-----------------------

Log-in

Email

Password

[Login](#)

```
{{> welcomemenu id='login' }}  
  
<form class="ui stacked segment form" action="/authenticate" method="POST">  
  <h3 class="ui header">Log-in</h3>  
  <div class="field">  
    <label>Email</label> <input placeholder="Email" name="email">  
  </div>  
  <div class="field">  
    <label>Password</label> <input type="password" name="password">  
  </div>  
  <button class="ui blue submit button">Login</button>  
</form>
```

Routes I

index.html

Playlist 4

Sign up or Log in...

signup.html

Playlist 4

Register

First Name Last Name

First Name Last Name

Email

homer@simpson.com

Password

.....

Submit

login.html

Playlist 4

Log-in

Email

homer@simpson.com

Password

.....

Login

routes.js

```
router.get('/', accounts.index);  
router.get('/signup', accounts.signup);  
router.get('/login', accounts.login);
```

Accounts Controller

```
index(request, response) {  
  const viewData = {  
    title: 'Login or Signup',  
  };  
  response.render('index', viewData);  
},
```

accounts.js

routes.js

```
router.get('/', accounts.index);  
router.get('/signup', accounts.signup);  
router.get('/login', accounts.login);
```

```
signup(request, response) {  
  const viewData = {  
    title: 'Login to the Service',  
  };  
  response.render('signup', viewData);  
},
```

accounts.js

```
login(request, response) {  
  const viewData = {  
    title: 'Login to the Service',  
  };  
  response.render('login', viewData);  
},
```

accounts.js

Routes - II

Register a new
User with the
application

routes.js

```
router.post('/register', accounts.register);  
router.post('/authenticate', accounts.authenticate);
```

Check to see if a
given email/
password is
known to the
application